

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: FLEXALL FLEXIBLE ALL PURPOSE PATCHING HMIS CODES: H F R P
 PATCHING COMPOUND 0 0 0
 PRODUCT CODE: 2044

=====
 SECTION I - MANUFACTURER IDENTIFICATION
 =====

MANUFACTURER'S NAME: Custom Building Products, Inc.
 ADDRESS: 6511 SALT LAKE AVE., BELL, CA. 90201
 EMERGENCY PHONE: (323) 582-0846 INFORMATION PHONE: (323) 582-0846
 DATE REVISED : 04-12-99 NAME OF PREPARER : STEVE TAYLOR

=====
 SECTION II - INGREDIENTS/SARA III INFORMATION
 =====

COMPONENTS	CAS NUMBER	OCCUPATIONAL EXPOSURE LIMITS		VAPOR PRESSURE		Wt. %
		OSHA PEL	ACGIH TLV	mm Hg @	TEMP	
ETHYLENE GLYCOL	107-21-1		50 PPM	0.1	68F	1.66
CALCIUM CARBONATE/ LIMESTONE	1317-65-3		10 mg/M3		N/A	50

* No toxic chemical(s) subject to the requirements of section 313 of Title III and of 40 CFR 372.

=====
 SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS
 =====

BOILING POINT: 100 C SPECIFIC GRAVITY (H2O=1): 1.5
 VAPOR DENSITY: HEAVIER THAN AIR EVAPORATION RATE: SLOWER THAN ETHER
 SOLUBILITY IN WATER: DISPERSIBLE
 APPEARANCE AND ODOR: WHITE PASTE; SLIGHT ODOR

=====
 SECTION IV - FIRE AND EXPLOSION HAZARD DATA
 =====

FLASH POINT: METHOD USED:
 FLAMMABLE LIMITS IN AIR BY VOLUME - LOWER: N/A UPPER: N/A
 EXTINGUISHING MEDIA: FOAM, ALCOHOL FOAM, CO2, DRY CHEMICAL, WATER FOG
 SPECIAL FIREFIGHTING PROCEDURES
 NONE
 UNUSUAL FIRE AND EXPLOSION HAZARDS
 CONTAINERS MAY RUPTURE IF EXPOSED TO EXTREME TEMPERATURES. MATERIAL MAY

SPLATTER ABOVE 212 F.

=====
SECTION V - REACTIVITY DATA
=====

STABILITY: STABLE

CONDITIONS TO AVOID
EXTREME TEMPERATURES.

INCOMPATIBILITY (MATERIALS TO AVOID)
STRONG ACIDS.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS
THERMAL DECOMPOSITION WILL YIELD CARBON MONOXIDE AND CARBON DIOXIDE.
REACTION WITH STRONG ACIDS YIELDS CARBON DIOXIDE

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR.

=====
SECTION VI - HEALTH HAZARD DATA
=====

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE
SKIN CONTACT: IRRITATING TO SKIN UPON REPEATED OR PROLONGED CONTACT.
EYE CONTACT: MAY CAUSE SLIGHT TRANSIENT (TEMPORARY) EYE IRRITATION. CORNEAL
INJURY IS UNLIKELY.

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE
REPEATED SKIN EXPOSURE TO LARGE QUANTITIES MAY RESULT IN ABSORPTION OF HARMFUL
AMOUNTS. THE DERMAL LD50 HAS NOT BEEN DETERMINED.

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

HEALTH HAZARDS (ACUTE AND CHRONIC)
ACUTE: PRE-EXISTING SKIN, EYE, AND RESPIRATORY CONDITIONS MAY BE AGGRAVATED BY
EXPOSURE.
CHRONIC: NONE.

CARCINOGENICITY: NTP? NO IARC MONOGRAPHS? NO OSHA REGULATED? YES

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE
NONE KNOWN.

EMERGENCY AND FIRST AID PROCEDURES
EYE CONTACT: IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES. SEE PHYSICIAN IF
IRRITATION RESULTS.
SKIN CONTACT: WASH WITH WATER. SEEK MEDICAL ATTENTION IF IRRITATION RESULTS.

INHALATION: IF AFFECTED, REMOVE TO FRESH AIR.

INGESTION: IF SWALLOWED, IMMEDIATELY INDUCE VOMITING BY GIVING TWO GLASSES OF WATER AND STICKING FINGER DOWN THROAT. CALL A PHYSICIAN. (NEVER GIVE ANYTHING BY MOUTH OR ATTEMPT TO INDUCE VOMITING IN AN UNCONSCIOUS PERSON.) CALL A PHYSICIAN.

=====
SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE
=====

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

AVOID ENTRY INTO SEWERS OR NATURAL WATER WAYS. SMALL SPILLS: SOAK UP WITH ABSORBANT MATERIAL. LARGE SPILLS: DIKE AND PUMP INTO SUITABLE CONTAINERS FOR DISPOSAL.

WASTE DISPOSAL METHOD

DISPOSE OF PRODUCT IN ACCORDANCE WITH APPLICABLE LOCAL, COUNTY, STATE, AND FEDERAL REGULATION.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

STORE IN COOL, DRY AREA OUT OF SUNLIGHT. STORE AWAY FROM HEAT OR ANY HEAT SOURCES. PROTECT FROM HEAT OR ANY HEAT SOURCES. PROTECT FROM FREEZING.

OTHER PRECAUTIONS

NONE

=====
SECTION VIII - CONTROL MEASURES
=====

RESPIRATORY PROTECTION

IF EXPOSURE MAY EXCEED TLV RANGE, USE A NIOSH APPROVED RESPIRATOR TO PREVENT OVEREXPOSURE.

VENTILATION

GENERAL MECHANICAL VENTILATION MAY BE SUFFICIENT TO KEEP VAPOR CONCENTRATIONS WITHIN SPECIFIED TLV RANGES.

PROTECTIVE GLOVES

THE USE OF PLASTIC OR RUBBER GLOVES IS ADVISED TO PREVENT SKIN IRRITATION OF SENSITIVE INDIVIDUALS.

EYE PROTECTION

SAFETY GLASSES ARE RECOMMENDED TO SAFEGUARD AGAINST POTENTIAL CONTACT.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT

ADEQUATE CLOTHING SHOULD BE WORN TO PREVENT SKIN CONTACT.

WORK/HYGIENIC PRACTICES

GOOD HOUSEKEEPING PROCEDURES SHOULD BE PRACTICED.

=====
SECTION IX - DISCLAIMER
=====

DISCLAIMER

THE INFORMATION PRESENTED HERE IS BELIEVED TO ACCURATE BUT IS NOT WARRANTED TO

BE, WHETHER ORIGINATING WITH THE COMPANY OR NOT. RECIPIENTS ARE ADVISED TO CONFIRM IN ADVANCE OF NEED, THAT THE INFORMATION IS CURRENT, APPLICABLE, AND SUITABLE TO THEIR CIRCUMSTANCES.