

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: SQUEEZE N FILL CONCRETE CRACK FILLER      HMIS CODES: H F R P  
PRODUCT CODE: 2049      0 0 0

=====  
SECTION I -MANUFACTURER IDENTIFICATION  
=====

MANUFACTURER'S NAME: Custom Building Products, Inc.  
ADDRESS: 6511 SALT LAKE AVE., BELL, CA. 90201  
EMERGENCY PHONE: (323) 582-0846      INFORMATION PHONE: (323) 582-0846  
DATE REVISED : 11-12-91      NAME OF PREPARER : STEVE TAYLOR  
REASON REVISED : NEW

=====  
SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION  
=====

HAZARDOUS COMPONENTS	CAS NUMBER	OCCUPATIONAL EXPOSURE LIMITS		VAPOR PRESSURE mm Hg @ TEMP	Wt. %	---
		OSHA PEL	ACGIH TLV			
ETHYLENE GLYCOL	107-21-1	50 PPM		0.1	68F	< 5.0% *
*DIBUTYL PHTHALATE	84 72 2	5MG/M3 TWA		2.0	302F	10
CALCIUM CARBONATE/ LIMESTONE	1317-65-3	10 mg/M3		N/A		45

\* Chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372.

=====  
SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS  
=====

BOILING POINT: N/A      SPECIFIC GRAVITY (H2O=1): 1.4  
VAPOR DENSITY: N/A      EVAPORATION RATE: SLOWER THAN ETHER  
SOLUBILITY IN WATER: INFINATELY DILUTABLE  
APPEARANCE AND ODOR: GRAY, POURABLE PASTE

=====  
SECTION IV - FIRE AND EXPLOSION HAZARD DATA  
=====

FLASH POINT: N/A      METHOD USED:  
FLAMMABLE LIMITS IN AIR BY VOLUME - LOWER: 0.5%      UPPER: N/A  
EXTINGUISHING MEDIA: FOAM, ALCOHOL FOAM, CO2, DRY CHEMICAL, WATER FOG  
SPECIAL FIREFIGHTING PROCEDURES  
NONE  
UNUSUAL FIRE AND EXPLOSION HAZARDS  
NONE

## ===== SECTION V - REACTIVITY DATA =====

STABILITY: STABLE

CONDITIONS TO AVOID  
NONE

INCOMPATIBILITY (MATERIALS TO AVOID)  
NONE

HAZARDOUS DECOMPOSITION OR BYPRODUCTS  
WHEN WATER EVAPORATES, POLYMER CAN BURN AND PRODUCE CARBON DIOXIDE  
AND CARBON MONOXIDE.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR. NOT APPLICABLE.

## ===== SECTION VI - HEALTH HAZARD DATA =====

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE  
NONE CURRENTLY KNOWN.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE  
MAY CAUSE TRANSIENT REDDENING OF SKIN. MAY CAUSE SLIGHT EYE IRRITATION.

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE  
NONE CURRENTLY KNOWN.

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE  
NONE CURRENTLY KNOWN. MAY CAUSE NAUSEA.

HEALTH HAZARDS (ACUTE AND CHRONIC)  
ACUTE: NONE CURRENTLY KNOWN. CHRONIC: NONE CURRENTLY KNOWN.

CARCINOGENICITY: NTP? NO IARC MONOGRAPHS? NO OSHA REGULATED? YES NONE

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE  
NONE CURRENTLY KNOWN.

EMERGENCY AND FIRST AID PROCEDURES  
EYE CONTACT: FLUSH WITH WATER.  
SKIN CONTACT: WASH WITH SOAP AND WATER.  
INHALED: MOVE TO FRESH AIR.  
SWALLOWED: CONSULT A DOCTOR.

===== SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE =====

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED  
SPILLS SHOULD BE COLLECTED AND DISPOSED OF IN ACCORDANCE WITH LOCAL REGULATIONS.

WASTE DISPOSAL METHOD  
BURY IN SUITABLE LANDFILL WHERE PERMITTED UNDER APPROPRIATE GOVERNMENT REGULATIONS.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING  
NONE

OTHER PRECAUTIONS  
NONE

===== SECTION VIII - CONTROL MEASURES =====

RESPIRATORY PROTECTION  
NONE REQUIRED.

VENTILATION  
GENERAL ROOM VENTILATION IS EXPECTED TO BE SATISFACTORY.

PROTECTIVE GLOVES  
THE USE OF CHEMICAL RESISTANT OR RUBBER GLOVES IS ADVISED TO PREVENT SKIN CONTACT.

EYE PROTECTION  
SAFETY GLASSES.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT  
ADEQUATE CLOTHING SHOULD BE WORN TO PROTECT FROM SKIN CONTACT.

WORK/HYGIENIC PRACTICES  
GOOD HOUSEKEEPING PRACTICES.

===== SECTION IX - DISCLAIMER =====

DISCLAIMER  
THE INFORMATION PRESENTED HERE IS BELIEVED TO BE ACCURATE BUT IS NOT WARRANTED TO BE, WHETHER ORIGINATING WITH THE COMPANY OR NOT. RECIPIENTS ARE ADVISED TO CONFIRM IN ADVANCE OF NEED, THAT THE INFORMATION IS CURRENT, APPLICABLE, AND SUITABLE TO THEIR CIRCUMSTANCES.